A23

SCHEDULE.

		Quantity	F.O.R. Belagula
Lime Stone	—96 to 98 per cent $CaCO_3$ ...	50 (fifty) tons	...
MgO	— only traces ...	...	...
R_2O_3	— below 2 per cent ...	...	...
SiO_2	— do do ...	...	...

N.B.—1. Quotations with firm prices and earliest time of delivery are preferred.
2. Sales-tax should be quoted separately.
3. Samples should accompany the quotations.
4. Quotations will be opened at 2 P.M. on the next working day.

4883

Dated 22nd September 1952.

To

The Firms dealing in Khaki Cotton Patties.

Enquiry No. 11225.

Subject :—Khaki Cotton Patties.

Dear Sir/Gentlemen,

No. S.P.C. 25914-23. Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the undermentioned schedule, in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supplies within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Khaki Cotton Patties", with the above enquiry number.

This enquiry will be closed on the 16th October 1952.

SCHEDULE.

Item No.	Description of material offered.	Quantity	Price quoted F.O.R. Bangalore.	Time of delivery.
	Khaki Cotton Patties (Fast Colour) 2 Yds. long × 4" wide with one yard narrow tape of 5/8" stitched at one end of the Patti.	250 pairs	...	...

N.B.—1. Samples should accompany your quotation.
2. Quotations with firm prices will be preferred.
3 Sales-tax shou d be quoted separately.
4. No enhancement of prices will be allowed after the acceptance of the tender.
5. Quotations will be opened at 2 P.M. on the next working day after the closing date of the enquiry.

4883

Dated 22nd September 1952.

To

The Firms dealing in Electrical materials.

Enquiry No. 11227.

Subject :—Equipment for the Electrical Laboratory of the Occupational Institute, Hassan.

Gentlemen,

No. S.P.C. 25874-903. Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the undermentioned schedule, in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for equipment for the Electrical Laboratory of the Occupational Institute, Hassan" with the above enquiry number.

This enquiry will be closed on the 30th October 1952.

SCHEDULE.

		F.O.R, Hassan.	Quantity.
1	D.C. Ammeters ...	(a) 10 amps.	2
		(b) 15 amps.	2
		(c) Triple range 3/6/30 amps. ...	2
		(d) 100 amps. with shunt ...	2
		(e) 1 amp.	2
2	A.C. Ammeters ...	(a) Double range 20/40 amps. ...	2
		(b) Do 2·5/40 amps. ...	2
		(c) 5 amps.	2
		(d) 0·5 amps.	2
		(e) Double range 10/20 amps. ...	2
		(f) 60 amps.	2
3	Galvanometers and high Sensitivity Instruments:—		
		(a) Portable type galvanometers with pointer	2
4	Wattmeters and Watthour meters:—		
		1 Single phase, single current double voltage wattmeter, 150/300 volts, 20 amps. ...	2
		2 Portable A.C. Watthour meter, standard 100–120/200–240 volts, 1/5/25 amps. 50 cycles	2
		3 Single phase, double current double voltage wattmeter, 5/10 amps. 150/300 volts ...	3
		4 Polyphase Wattmeter 5/10 amps., 150/300 volts	3
5	Power Factor and Frequency meters.—		
		(a) Portable type power jacks for balanced 3 phased circuits 5 amps 100/125 volts ...	1
6	Hook-ob-voltmeter—Ammeter triple range 0/15/60/600 amps. 0/300/600 volts		2
7	Instrument Transformers:—		
		1 Portable mullirange current transformers ratio 40/50/80/100/160 200 amps. to 5 amps.	2
		2 Portable double ratio potential transformers ratio 2300/4600 volts to 115 volts ...	2
8	Special Instruments:—		
		1 Speed Indicators	3
		2 Stop watches	4
9	Special Equipments:—		
		(a) Constant potential rectifier battery charging set	1
		(b) Constant current battery charging set ...	1
		(c) Cadmium tester	1
		(d) High rate discharge tester	1
		(e) Meggers 500 volts	1
		(f) Demestic heating appliances set ...	1
		(g) Kitchen and laundry appliances set ...	1
		(h) Metal Rectifier capable of charging 12 to 24 lead acid cells, 40 amps, capacity suitable for use on 230/250 volts, 50 cycles power supply	1

N.B.—1. Quotations with firm prices will be preferred.
2. Sales-tax, if any, should be quoted separately.
3. The quotations will be opened at 2 P.M. on the next working day after the due date.

4824

Dated 23rd September 1952.

To

Messrs.—
(1) The Calcutta Electrical Mfg., Co., Ltd., 33, Netaji Subhas Road, CALCUTTA 1.
(2) The India Electric Works, Ltd., Diamond Harbour Road, CALCUTTA 8.
(3) Matchwell Electricals (India), Ltd., P.O. Box No. 1430, Subzi Mandi, DELHI.

Local Indent No. 11164.

Subject :—Supply of Electric Table and Ceiling Fans.

Gentlemen,

No. S.P.C. 26486-88. Please refer to our order No. S.P.C. 20768-771, dated 11th September 1951, for the above and note that the period of the contract has been extended up to the end of October 1952. Kindly execute the supplies against departmental indents made during this period.

Please acknowledge receipt.

4824b

Dated 23rd September 1952.

To

The Firms dealing in Singapore Canes.

Enquiry No. 11226.

Subject :—Singapore Rattan for use in the Occupational Institute. Hassan.

Dear Sir/Gentlemen,

No. S.P.C. 25904-13. Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the undermentioned schedule, in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the